

DSS Juno ConnectEHR 22 Test Plan

CHPL # 15.04.04.2925.CONN.02.04.0.220817

https://www.dssinc.com/juno-certifications

Published 10/28/2022

Plan Report IT: JCONv22-2023-01



Care Coordination

Application Programming Interfaces

Passed

- ☐ §170.315(b)(1) Transition of care
- \$170.315(b)(7) Security tags summary of care send \$170.315(b)(8) Security tags summary of care receive \$170.315(b)(10) Electronic Health Information Export

Passed

☐ §170.315(g)(10) Standardized API for patient and population services

Public Health

Passed

- ☐ §170.315(f)(1) Transmission to immunization registries
- ☐ §170.315(f)(2) Transmission to public health agencies syndromic surveillance



Criteria:	Care Setting:	Measurement Period:	Date:		Key Milestones:
Care Coordination					
§ 170.315(b)(1) Transitions of care § 170.315(b)(7) Security tags – summary of care – send § 170.315(b)(8) Security tags – summary of care – receive	Ambulatory & Inpatient	3/1/2023 – 6/1/2023	May, 2023		Confirm Trading Partner Confirm ability to send and receive clinical documents Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment
ourimary or our or receive			Jun, 2023		Care provider selects recipient from directory of Direct addressed and initiates sending of Clinical Documents. The user is able to create a C-CDA Release 2.1 that also includes the reason for referral, and the referring or transitioning provider's name and office contact information. C-CDA Care Referral or Referral Note is triggered to send via Direct Protocol Care Provider reviews the Direct Status screen (under Direct Outgoing menu choice) to ensure Clinical Document was successfully transmitted.
			June, 2023		Care provider selects recipient from directory of Direct addresses and initiates sending of Clinical Document. Care provider creates a C-CDA Release 2.1 Discharge Summary Document that also includes the discharge instructions. Care provider reviews the Direct Status screen (under Direct Outgoing menu choice) to ensure Clinical Document was successfully transmitted via Direct protocol.
			June, 2023		Recipient uses scorecard to grade C-CDA
			July, 2023		Tester uses Document Center to locate Clinical Document Care Provider reviews the Direct Status screen (under Direct Outgoing menu choice). Recipient validate that Social History section of C-CDA section is flagged as restricted
			August, 2023	П	
			· · · ·		
§ 170.315(b)(10) Electronic Health Information export	Ambulatory & Inpatient	3/1/2023 — 6/1/2023	Start test plan execution: May, 2023 June, 2023		Date and time ranges can be configurable via the UI Targeted Practices can be configurable via the UI Patients exported can be configurable via the UI Use the Edge Test Tool to check validity of output file
			·		Export summary was created and completed successfully
			July, 2023		Export summary was created and completed successfully
			Complete test execution: August, 2023		
Public Health					



§ 170.315(f)(1) Transmission to immunization registries	Ambulatory & Inpatient	3/1/2023 – 6/1/2023	May, 2023		Has a state immunization registry that is enabled for bi-directional send/receive of immunization data. Already has a functional bi-directional immunization interface or would like to implement one to their registry. If we are unable to find a Client that meets these criteria, we will use the Alternate Test Procedure (see below).
			June, 2023		Validate that immunization interface is functioning as expected
			July, 2023		Verify immunization data was received in registry for patient A
			July, 2023		Verify immunization data was received in EHR for patient B
			August, 2023		See above
			May, 2023		Has state immunization registry that can receive immunization data Already has a functional immunization interface or would like to implement
			June, 2023		Validate that immunization interface is functioning as expected
			July, 2023		Verify that immunization data was received for patient A
			August, 2023		
§ 170.315(f)(2) Transmission to public health agencies – syndromic surveillance	Ambulatory & Inpatient	3/1/2023 - 6/1/2023	May 2023		Syndromic surveillance messages are successfully received and processed by public health agency.
		1	June, 2023		Functioning HL7 2.5.1 Interface to public health agency
			August, 2023		
Application Programmin	g Interfaces			I .	
§ 170.315(g)10) Standardized API for patient and population services	Ambulatory & Inpatient	3/1/2023 – 6/1/2023	May, 2023		Partner with PHR or identify existing PHR that can achieve patient clinical data as described in this RWT Plan. We recommend MyLinks (https://www.mylinks.com) Ensure that PHR has functionality to access the Dynamic FHIR API, as described here. Partner with EHR that is integrated with the Dynamic FHIR API and Patient Portal Modules of ConnectEHR.
			June, 2023		Encounter is created and visually confirmed
			July, 2023		Dynamic FHIR API has transformed C-CDA into FHIR resources PHR app consumes FHIR resources to populate EHR data
			May, 2023		Partner with a provider-centric app for improved patient care (e.g. growth charts, clinical decision support, patient charting) Ensure that app has functionality to access the Dynamic FHIR API, as described here Partner with EHR that is integrated with the Dynamic FHIR API



	module of ConnectEHR.
June, 2023	Data is rendered correctly: Provider compares patient data in app to patient data in EHR and notes any discrepancies.
May, 2023	Partner with a provider-centric app for improved patient care (e.g. growth charts, clinical decision support, patient charting) Ensure that app has functionality to access the Dynamic FHIR API, as described here Partner with EHR that is integrated with the Dynamic FHIR API module of ConnectEHR.
June, 2023	Data is rendered correctly: Provider compares patient data in app to patient data in EHR and notes any discrepancies.
August, 2023	

Table of Contents	Associated Certification Criteria: § 170.315(b)(1) Transition of Care (Co § 170.315(b)(7) Security tags – summ § 170.315(b)(8) Security tags – summ	nary of care – send
	Measure Description: Send and receive Transition of Care (TOC) messages with other providers to close the referral loop. The patient's PHI will be exchanged using the C-CDA 2.1 Care Referral or Referral Note and DIRECT secure	Justification: We chose to concentrate on the aspects of this criterion that would: 1) showcase ConnectEHR's streamlined approach to provider-to-provider patient referrals and transitions of care with the ultimate goal being higher quality patient care 2) eliminate as much risk of data entry errors as possible by transmitting patient data securely and electronically rather than relying on manual data entry for referrals 3) Reduce the overall time burden of manual data entry
	messaging for data transport. Metric Description: 1)100 percent of outbound TOC's successfully received by HISP 2) Average C-CDA grade from	4) ensure private and secure transmission of patients' PHI 5) result in increased interoperability between disparate HIT systems. Standards Implemented (SVAP): 1) USCDIv1 July 2020 Errata 2) Applicability Statement for Secure Health Transport, Version 1.2, August 2015 (Direct) 3) HL7 C-CDA R2.1 Implementation Guide, October 2019.CDAR2_IG_C-
	scorecard for C-CDA's generated from ConnectEHR is a "C" or better 2) 75 percent of C-CDAs flagged as restricted were received in restricted status based on confirmed receipt	CDAA_CLINNOTES_R1_DSTU2.1_2015AUG_2019JUNwith_errata 4) HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Volume 1 – Introductory Material, Release 2.1, August 2015 5) HL7 Implementation Guide for CDA® Release 2: Consolidated CDA Templates for Clinical Notes (US Realm), Draft Standard for Trial Use, Volume 2 – Templates and Supporting Material, Release 2.1, August 2015
	from trading partner 3) 75 percent of trading partner's TOD C-CDAs successfully received by ConnectEHR.	6) HL7 Implementation Guide for CDA® Release 2: IHE Health Story Consolidation, DSTU Release 1.1 (US Realm) Draft Standard for Trial Use July 2012 7) ONC Implementation Guide for Direct Edge Protocols, Version 1.1, June 25, 2014 8) HL7® CDA R2 Implementation Guide: C-CDA Templates for Clinical Notes R2.1 Companion Guide, Release 2-US Realm, October 2019



	Developer Info: DYNAMIC HEALTH IT, INC. 320 Monticello Ave. New Orleans, LA 70121 504.309.9103 Ambulatory Care Setting: The ambulatory care setting is the most common one for ConnectEHR users. Many belong to specialties such as eye care, chiropractic and behavioral health. We don't specifically market to particular specialty areas, so this test plan generically applies to ambulatory care settings Inpatient Care Settings: Some ConnectEHR users are in a hospital setting, so we've included test steps for generation of discharge summaries.	Product Info: Product Name: Juno ConnectEHR Product Version: 22 CHPL ID: 15.04.04.2925.CONN.02.04.0.220817	Methods Use to Demonstrate Interoperability: 1) HISP via Direct Protocol (SMTP) 2) HIE Exchange 3) HTTPS via secure provider portal			
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Milestone:	Outcomes:	Comments
1	Identify Trading Partner (TP) and coordinate with TP for sending/receiving clinical documents using production data as described in this RWT plan.	Confirm Trading Partner Confirm ability to send and receive clinical documents Confirm with TP that production data will be used, whether in an actual live environment or a copy of a live environment	May, 2023			
* Next ste	ps are Inpatient setting only					
2i	Patient A has inpatient admission and discharge and data is captured in the EHR	USCDIv1 data elements captured in EHR (system under test) Care provider is able to create a C-CDA Release R2.1 Discharge Summary Document that also includes discharge instructions Care provider flags the document as restricted and subject to restrictions on redisclosure				
3i	Care provider initiates TOC in EHR	Care provider selects the recipient from directory of Direct addresses and initiates sending of Clinical Document. Care provider creates a C-CDA Release 2.1 Discharge Summary Document that	June, 2023			



		also includes the discharge instructions. Care provider review the Direct Status screen (under Direct Outgoing menu choice) to ensure Clinical Document was successfully transmitted			
*Next step	s take place in trading partner's EHR				
4	Validate the C-CDA for Patient A contains USCDIv1 data elements	Recipient uses scorecard to grade C-CDA	June, 2023		
5	Trading partner refers Patient B from TP EHR to system under test by generating C-CDA Clinical Document or Referral Note	Care provider flags Social History section of C-CDA as restricted. Care provider selects recipient from directory of Direct addresses and initiates sending of Clinical Document.			
6	In system under test, tester acknowledges receipt of valid Clinical Document.	Tester uses Document Center to locate Clinical Document. Care provider reviews the Direct Status screen (under Direct Outgoing menu choice). Recipient validates that Social History section of C-CDA is flagged as restricted	July, 2023		
7	Calculate and compile metrics		August, 2023		

Table of Contents	§ 170.315(b)(10) Electronic Health Information export						
	Measure Description: Export USCDIv1 clinical data for a population of patients for use in different health information technology product or third party system. This export can be used for many purposes, including data portability when physician practice switches to a new EHR platform.	1)demonstrate ConnectEHR's ability to 2) facilitate interoperability by providing	on the aspects of this criterion that would: HR's ability to export batches of patient data in straightforward fashion. y by providing the exported data in the form of valid CCDA files that conform to the HL7 n the HL7 Implementation Guide for CDA Release 2: Consolidated CDA Templates for n).				
	Metric Description: 1)C-CDA count matches actual patient count for requested date range. 2) 50% of spot-checked C-CDAs pass scorecard with overall grade of "C" or better.	Standard Implemented: (SVAP) 1)USCDIv1 July 2020 Errata 2) HL7 C-CDA R2.1 Implementation Guide, October 2019. CDAR2_IG_C- pass CDAA_CLINNOTES_R1_DSTU2.1_2015_AUG_2019JUNwith_errata					
	Developer Info: DYNAMIC HEALTH IT, INC. 320 Monticello Ave. New Orleans, LA 70121	Product Info: Product Name: Juno ConnectEHR Product Version: 22	Methods Use to Demonstrate Interoperability: 1)Visual validation/counting 2) Test output file with C-CDA scorecard to ensure correct format/contents.				



	504.309.9103	CHPL ID: 15.04.04.2925.CONN.02.04.0.220817				
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Milestone:	Outcome:	Comment(s)
1	Using production data in an actual live environment, demonstrate the ability to configure data export configurations for Timeframe and Location	Date and time ranges can be configurable via the UI Targeted Practices can be configurable via the UI Patients exported can be configurable via the UI	Start test plan execution: Mary, 2023			
2	Demonstrate the ability to limit the set of users who can create export summaries	Logging in as a VendorAdmin will allow access to the export functionality				
3	Confirm users roles that have been denied export summary access cannot create export summaries	Logging in as a non-VendorAdmin will not allow access to the export functionality				
4	Create and validate an export for a single patient	Use the Edge Test Tool to check validity od output file	June, 2023			
5	Create an export summary for data within the entered date and time range	Data was available for the entered date and time range The export summary contained in data only within that date and time range				
6	Create an export summary in real time	Export summary was created and completed successfully	July, 2023			
7	Save the export summary to a preferred location at the time of export.	Saving to a preferred location is allowed Visually confirming the export after save is performed and successful				
8	Calculate and compile metrics		Complete test execution: August, 2023			

Table of Contents	Associated Certification Criteria: § 170.315(f)(1) Transmission to immunization registries						
	Measure Description: Create and transmit immunization information. Enable a user to request, access, and display a patient's evaluated immunization history and the immunization	Justification: We chose to concentrate on the aspects of this criterion that would provide the most patient care value in an actual setting. Immunization registries can be very helpful in directing and informing patient care and in cost control through identification of needed immunizations and elimination of redundant immunizations. In our experience, most immunization registries do not yet have the ability to handle a bi-directional query/response type of interface. That's why we offered an Alternate Test Approach.					



	forecast from an immunization registry.								
	Metric Description: 1) 100 percent correct immunization records successfully posted to registry confirmed by visual validation. 2) 100 percent correct immunization history records successfully received in EHR confirmed by visual validation. 3) Successful Transmission to Public Health Registry will be reviewed for ACK & NAK to ensure 100% successful transmission.	Messaging, Release 1.5, October 2014 2) HL7 Version 2.5.1 Implementation G 170.207(e)(3) HL7 Standard Code Set	7 2.5.1 Implementation Specifications. HL7 2.5.1 Implementation Guide for Immunization						
	Developer Info: DYNAMIC HEALTH IT, INC. 320 Monticello Ave. New Orleans, LA 70121 504.309.9103 Care Setting: Ambulatory/Inpatient The functionality for the criteria is the same regardless of the care setting.	Product Info: Product Name: Juno ConnectEHR Product Version: 22 CHPL ID: 15.04.04.2925.CONN.02.04.0.220817	Methods Use to Demonstrate Interoperability: 1) SFTP 2) TCP/IP 3) Webservice 4) HL7 Standard Code Set CVX – Vaccines AdministeredOID: 2.16.840.1.113883.12.292 5) National Drug Code Directory OID: 2.16.840.1.113883.6.69 6) SOAP-based standard for transport of immunization data						
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Milestone:	Outcomes:	Comment(s)			
1	Identify Trading Partner (TP) and coordinate with TP for transmitting immunization records using production data as described in this RWT plan	 Has a state immunization registry that is enabled for bi-directional send/receive of immunization data. Already has a functional bi-directional immunization interface or would like to implement one to their registry. If we are unable to find a Client that meets these criteria, we will use the Alternate Test Procedure (see below). 	May, 2023						
2	Implement bi-directional immunization interface (if interface not already in place)	Validate that immunization interface is functioning as expected	June, 2023						
3	Determine whether test or production interface will be used.	If production, determine whether an actual patient or a test patient will be used.							
4	Create a new immunization record	Register a patient or create a new patient "A" in Client EHR and create a							



		current patient encounter. • Record an immunization in Client EHR.			
5	Create a new query	 Select a patient or create a new patient "B" in Client EHR and create a current patient encounter. Request immunization record in Client EHR. 			
6	Run immunization process to send/receive from registry (assuming process is batch, rather than real-time).	Confirm send/received functionality			
7	Access registry to verify that immunization data was received for patient A.	Verify immunization data was received in registry for patient A	July, 2023		
8	Access EHR to verify that immunization data was received for patient B.	Verify immunization data was received in EHR for patient B	July, 2023		
9	Calculate and compile metrics	See above	August, 2023		
*Alternate Test Pro	ocedure (Bi-Directional Interface to Re	gistry Not Available)			
1	Identify Trading Partner (TP) and coordinate with TP for transmitting immunization records using production data as described in this RWT plan.	Has a state immunization registry that can receive immunization data Already has a functional immunization interface or would like to implement one to their registry	May, 2023		
2	Implement send-only immunization interface (if interface not already in place)	Validate that immunization interface is functioning as expected	June., 2023		
3	Determine whether test or production interface will be used.	If production, determine whether an actual patient or a test patient will be used			
4	Create a new immunization record	Register a patient or create a new patient "A" in Client EHR and create a current patient encounter Record an immunization in Client EHR			
5	Run immunization process to send to registry (Note: This is an optional step for batch process registry transmission, rather than real-time).	Confirm immunization process			



6	Access registry to verify that immunization data was received for patient A.	Verify that immunization data was received for patient A	July, 2023		
7	Calculate and compile metrics		August, 2023		

Table of Contents	Associated Certification Criteria: § 170.315(f)(1) Transmission to pub	re Description: syndromic surveillance ges and transmit to public yellonce Justification: We chose to concentrate on the aspects of this criterion that would: 1) Ensure all patients flagged will have health data sent for surveillance						
	Measure Description: Create syndromic surveillance messages and transmit to public health agencies.							
	Metric Description: 1) 100 percent of HL7 Syndromic Surveillance messages successfully sent and acknowledged (via HL7 ACK) by public health agency 2) 100 percent of syndromic surveillance messages successfully received and processed by public health agency based on either: a) logging into agency web site and validating, or b) using a report provided by agency	Standards Implemented: 1) §170.205(e)(4) HL7 2.5.1 Implementation Specifications. HL7 2.5.1 Implementation Guide for Messaging, Release 1.5, October 2014 2) HL7 Version 2.1.5 Implementation Guide for Immunization Messaging (Release 1.5) – Addence §170.207(e)(3) HL7 Standard Code Set CVX – Vaccines Administered, Updates through August 3) §170.207(e)(4) National Drug Code (NDC) Directory – Vaccine NDC Linker, updated through August 1.5 in the and 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through August 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through 1.5 in the standard Code Set CVX – Vaccine NDC Linker, updated through 1.5 in the standard Code Set CVX – Vaccine NDC Link						
	Developer Info: DYNAMIC HEALTH IT, INC. 320 Monticello Ave. New Orleans, LA 70121 504.309.9103 Care setting: Ambulatory/Inpatient The functionality for the criteria is the same regardless of the care setting.	Product Info: Product Name: Juno ConnectEHR Product Version: 22 CHPL ID: 15.04.04.2925.CONN.02.04.0.220817	Methods Use to I 1) ICD-10-CM 2) SNOMED CT [®] 3) SFTP 4) TCP/IP 5) Webservice		operability:			
Test Step	Testing Procedure	Expected Outcomes:	Key Milestone Dates:	Key Milestone:	Outcomes:	Comment(s)		
1	Identify DHIT Client who either: • Has a public health agency that can receive Syndromic	Syndromic surveillance messages are successfully received and processed by public health agency.	May, 2023					



	Surveillance data • Already has a functional Syndromic Surveillance interface or would like to implement one to their public health agency and the agency willing to share metrics of syndromic surveillance messages successfully received.				
2	Implement send-only public health interface (if interface not already in place). • Determine whether test or production interface will be used • If production, determine whether an actual patient or a test patient will be used	Functioning HL7 2.5.1 interface to public health agency	June, 2023		
3	Create a new patient encounter. • Register a patient or create a new patient "A" in Client EHR and create a current patient encounter • Enter one or more ICD-10 diagnosis codes present in the Trigger Events table that lists reportable Syndromic Surveillance diagnoses	Patient registered and queued for interface			
4	Run Syndromic Surveillance process to send to public health agency (assuming process is batch, rather than real-time).	Ensure messages are de- identified per CDC PHIN Messaging Guide requirements Messages sent to public health agency			
5	Check whether HL7 messages ACKed by agency	HL7 messages are successfully received and ACKed			
6	Query agency to verify that public health data was received for patient A.	Public health successfully processed by agency			



7	Calculate and compile metrics	August, 2023		

Table of Contents	Associated Certification Criteria: § 170.315(g)(7) Application Access – patient selection § 170.315(g)(9) Application Access – all data request § 170.315(g)(10) Standardized API for patient and population services						
	Measure Description: Provide a standardized FHIR-based API that supports bulk data requests to provide patients, providers and niche specialty applications to consume patient data enabling improved interoperability, improved patient care and overall population health.	Justification: We chose on the aspects of this criterion that would empower clinicians with flexibility in choosing new and innovative healthcare technology. Historically, it has been difficult for builders of niche applications to access necessary patient demographic and clinical data for smooth, seamless use of their applications. Likewise, clinicians have often felt forced to stick with cumbersome, difficult-to-use EHR technology because of the coand complexity of migrating their patient data.					
	Metric description: 1) 100 percent of encounters where Patient is able to retrieve FHIR API from PHR app. 2) 100 percent of encounters from Step #1 where Patient's PHR data matches data from EHR. This will be done by visual inspection of the following FHIR resources: a. Demographics b. Problems c. Medications d. Allergies 3) 100 percent of encounters where Provider is able to retrieve FHIR API data from app. 4) 100 percent of encounters from Step #3 where data from randomly-selected patients as presented in app matches data in EHR. This will be done by visual validation of the following FHIR resources: a. Demographics b. Problems c. Medications d. Allergies	2) HL7 Fast Healthcare Interoperability 30, 2019, including Technical Correctio 3) HL7 FHIR® US Core Implementation HL7 FHIR® SMART Application Launch 4) HL7 FHIR® Bulk Data Access (Flat F					
	Developer Info: DYNAMIC HEALTH IT, INC. 320 Monticello Ave. New Orleans, LA 70121	Product Info: Product Name: Juno ConnectEHR Product Version: 22	Methods Use to Demonstrate Interoperability: 1) US Core FHIR Resources 2) SMART Patient Launch 3) SMART EHR Launch				
	504.309.9103	CHPL ID:	4) Backend Services Authorization				



	Care setting: Ambulatory/Inpatient The functionality for the criteria is the same regardless of the care setting.	15.04.04.2925.CONN.02.04.0.220817	5) Visual validation				
Test Step:	Testing Procedure:	Expected Outcomes:	Key Milestone Date:	Key Millstone:	Outcomes:	Comment(s)	
These Test Ste	eps Cover Single Patient API Access						
1	Identify Trading Partner (TP) and coordinate with TP for providing patients timely access to their ePHI using production data as described in this RWT plan.	Partner with PHR or identify existing PHR that can receive patient clinical data as described in this RWT plan. We recommend MyLinks (https://www.mylinks.com/) Ensure that PHR has functionality to access the Dynamic FHIR API, as described here. Partner with EHR that is integrated with the Dynamic FHIR API and Patient Portal modules of ConnectEHR.	May, 2023				
2	Patient A has encounter with care provider who uses EHR described above.	Encounter is created and visually confirmed	June, 2023				
3	Provider captures USCDIv1 data elements in EHR	USCDIv1 data elements are validated in the system					
4	Provider manually generates Care/Referral Summary C-CDA post-visit or ensures that the EHR generates one automatically.	C-CDA is confirmed for the specified patient					
5	Patient A uses Dynamic Patient Portal login to view clinical information.	Patient Portal automatically sends email reminder that Patient A has a new clinical document available. Email reminder has a URL/hyperlink to the patient portal. If patient hasn't already activated their portal account, portal account can be activated via Welcome Email or by an Administrator user					
6	Patient A uses portal login credentials to log into PHR app	Specific patient ID and token are returned for authentication and data					



		requests			
7	PHR app displays full set of data for each data category.	Dynamic FHIR API has transformed C-CDA into FHIR resources. PHR app consumes FHIR resources to populate EHR data	July, 2023		
8	PHR app returns full set of data for a given category	PHR app will display and all data to be displayed for each data category			
9	PHR app returns data in a computable format using specified standards.	Data is confirmed to be in XML or JSON format			
10	PHR app returns full and accurate data for a specific date and specific date range	Step 10 is optional, if PHR app has the capability to filter by date range Filtering data by a specific date returns data accurately and as expected Filtering data by a specific date range returns data accurately and as expected			
11	Via visual inspection, the data is verified to include Assessment, Plan of Treatment and Health concerns are specified as narrative text	Visually validate Assessment, Plan of Treatment and Health Concerns narrative text			
These Test Step	os Cover Care Coordination via 3rd Party App		I	L	l
1a	Identify Trading Partner (TP) and coordinate with TP for providing patients timely access to their ePHI using production data as described in this RWT plan.	Partner with a provider-centric app for improved patient care (e.g. growth charts, clinical decision support, patient charting). Ensure that app has functionality to access the Dynamic FHIR API, as described here. Partner with EHR that is integrated with the Dynamic FHIR API module of ConnectEHR.	May, 2023		
2a	Provider logs into app and triggers FHIR API data retrieval	The app connects to the FHIR API server and pulls down the specific FHIR resources from the EHR			
3a	Provider views and validates data in app	Data is rendered correctly: Provider	June, 2023		



		compares patient data in app to patient data in EHR and notes any discrepancies.							
		alcoropanolos.							
These Test Steps Cover Bulk Data for Care Coordination									
			,		1				
1b	Identify Trading Partner (TP) and coordinate with TP for providing patients timely access to their ePHI using production data as described in this RWT plan.	 Partner with a provider-centric app that requires periodic bulk data downloads. Ensure that app has functionality to access the Dynamic FHIR API, as described here. Partner with EHR that is integrated with the Dynamic FHIR API module of ConnectEHR. 	May, 2023						
2b	Provider logs into app and views patient data.	The app connects to the FHIR API server and pulls down the specific FHIR resources from the EHR							
3b	Provider validates data in app	Data is rendered correctly: Provider compares patient data in app to patient data in EHR and notes any discrepancies.	June, 2023						
12	Calculate and compile metrics	•	August, 2023						
Attestation: This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the Health IT Developer's Real World Testing requirements.									
Authorized Representative Name: Hilary Kloska									
Authorized Representative Email: hkloska@dssinc.com									
Authorized Representative Phone: 561-402-9621									
Authorized Representative Signature: Hilary Kleska									
Date: 10/31/2022									